

LIQUITEX MATTE POURING MEDIUM

Safety Data Sheet

Prepared in accordance with the model Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals

Issue date: 12/8/2020

Version: 1.0

SECTION 1: Identification

1.1. GHS Product identifier

Product form : Mixture
Product name : LIQUITEX MATTE POURING MEDIUM
Product group : Trade product

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Artists', craft and hobby paints
Recommended use : Artists', craft and hobby paints
Consumer uses: Private households (= general public = consumers)

1.4. Supplier's details

Manufacturer

Colart France
+33 2 43 83 83 00 Zone Industrielle Nord
5 Rue René Panhard
Le Mans - France
r.enquiries@colart.co.uk

Distributor

JASCO
1-5 Commercial Road
Kingsgrove
NSW 2208 New South Wales
T 029807 1555

1.5. Emergency phone number

Australian poisons centre : 13 11 26

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Skin sensitisation, Category 1 H317 Calculation method

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

Hazard pictograms (GHS UN) :



Signal word (GHS UN) : Warning
Hazardous ingredients : 2-ETHYLHEXYL ACRYLATE
Hazard statements (GHS UN) : H317 - May cause an allergic skin reaction
Precautionary statements (GHS UN) : P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

LIQUITEX MATTE POURING MEDIUM

Safety Data Sheet

Prepared in accordance with the model Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
2-ETHYLHEXYL ACRYLATE	(CAS-No.) 103-11-7	0.1 – 1	Skin corrosion/irritation, Category 2, H315 Skin sensitisation, Category 1, H317 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation, H335 Hazardous to the aquatic environment — Chronic Hazard, Category 3, H412

Full text of H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth out with water. In all cases of doubt, or when symptoms persist, seek medical attention.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
-------------	-------------------

5.3. Special protective actions for fire-fighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
-------------------------	--

LIQUITEX MATTE POURING MEDIUM

Safety Data Sheet

Prepared in accordance with the model Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Other information : Do not eat, drink or smoke during use. Ensure there is adequate ventilation.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Eye protection : Avoid contact with eyes

8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid

Colour : Not available

Odour : Not available

Odour threshold : Not available

Melting point : Not available

Freezing point : Not available

Boiling point : Not available

Flammability (solid, gas) : Non flammable.

Explosive limits : Not available

Lower explosive limit (LEL) : Not available

Upper explosive limit (UEL) : Not available

Flash point : Not available

Auto-ignition temperature : Not available

Decomposition temperature : Not available

pH : ≈ 9.2

pH solution : Not available

Viscosity, kinematic (calculated value) (40 °C) : Not available

Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : Not available

Vapour pressure at 50 °C : Not available

Density : Not available

Relative density : Not available

Relative vapour density at 20 °C : Not available

Solubility : Not available

Particle size : Not applicable

Particle size distribution : Not applicable

Particle shape : Not applicable

Particle aspect ratio : Not applicable

Particle specific surface area : Not applicable

LIQUITEX MATTE POURING MEDIUM

Safety Data Sheet

Prepared in accordance with the model Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Skin corrosion/irritation : Not classified
pH: ≈ 9.2

Serious eye damage/irritation : Not classified
pH: ≈ 9.2

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

2-ETHYLHEXYL ACRYLATE (103-11-7)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

AMMONIA (1336-21-6)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified

CRISTOBALITE (14464-46-1)

STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
------------------------	---

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

LIQUITEX MATTE POURING MEDIUM

Safety Data Sheet

Prepared in accordance with the model Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals

12.2. Persistence and degradability

LIQUITEX MATTE POURING MEDIUM	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

LIQUITEX MATTE POURING MEDIUM	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

LIQUITEX MATTE POURING MEDIUM	
Mobility in soil	No additional information available

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available
Other information	: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with UN RTDG / IMDG / IATA

14.1. UN number

Not regulated for transport

14.2. UN Proper Shipping Name

Proper Shipping Name (UN RTDG)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable

14.3. Transport hazard class(es)

UN RTDG

Transport hazard class(es) (UN RTDG) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (UN RTDG)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- UN RTDG

No data available

- IMDG

No data available

- IATA

No data available

LIQUITEX MATTE POURING MEDIUM

Safety Data Sheet

Prepared in accordance with the model Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals

14.7. Transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory info

Information

15.1. Safety, health and environmental regulations specific for the product in question

This SDS is prepared in accordance with the model Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals, the product is not classified as dangerous.

Please read instructions / label before using product.

EMERGENCY CONTACTS

Jasco Pty Ltd : 02 9807 1555
Police and Fire Brigade : 000
Poisons information centre : 13 11 26
Safety Data Sheet applicable regions : Australia

SECTION 16: Other information

Issue date : 08/12/2020

Other information : None.

Full text of H-statements:	
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H330	Fatal if inhaled
H331	Toxic if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

LIQUITEX MATTE POURING MEDIUM

Safety Data Sheet

Prepared in accordance with the model Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals

H412	Harmful to aquatic life with long lasting effects
------	---

Safety Data Sheet (SDS), UN

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.