

# WINSOR & NEWTON ARTISAN WATER MIXABLE OIL COLOUR CERULEAN BLUE HUE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Revision date: 04/03/2021 Supersedes version of: 25/11/2020 Version: 4.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : WINSOR & NEWTON ARTISAN WATER MIXABLE OIL COLOUR CERULEAN BLUE HUE  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Consumer use  
Use of the substance/mixture : Artists', craft and hobby paints

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

COLART EUROPE SAS  
5 rue René Panhard  
72021 Le Mans Cedex 2  
72021 LeMans - France  
T +44 208 424 3270  
[r.enquiries@colart.co.uk](mailto:r.enquiries@colart.co.uk)

##### Supplier

Colart Fine Art & Graphics Ltd  
Goldthorn Road  
DY11 7JN Kidderminster - United Kingdom  
T +44 (0) 2084243200  
[r.enquiries@colart.co.uk](mailto:r.enquiries@colart.co.uk)

##### Distributor

Jasco Pty (NZ) Limited  
5 Airpark Drive, Airport Oaks, Auckland Airport  
Auckland  
P.O. Box 107010

##### Other

Colart International Holdings LTD  
21 Evesham Street  
W11 4AJ London - United Kingdom  
T 02084243200  
[r.enquiries@colart.co.uk](mailto:r.enquiries@colart.co.uk)

##### Manufacturer

Colart France  
Zone Industrielle Nord +33 2 43 83 83 00  
5 Rue René Panhard  
Le Mans - France  
[r.enquiries@colart.co.uk](mailto:r.enquiries@colart.co.uk)

##### Distributor

JASCO  
1-5 Commercial Road  
Kingsgrove  
NSW 2208 New South Wales  
T 029807 1555

#### 1.4. Emergency telephone number

Emergency number : +33 2 43 83 83 00 (Monday- Thursday: 8:00-12:00 13:30-16:00 , Friday: 8:00-12:00 CET Language French); (+44) 2084243200 Monday-Friday: 9:00-17:00 GMT Language English)  
13 11 26  
Australian poisons centre : 0800 764 766 (0800 POISON)  
New Zealand poison centre

| Country        | Organisation/Company   | Address                           | Emergency number | Comment |
|----------------|--|-----------------------------------|------------------|---------|
| United Kingdom | National Poisons Information Service<br>(Birmingham Centre)<br>City Hospital | Dudley Road<br>B18 7QH Birmingham | 0344 892 0111    |         |

# WINSOR & NEWTON ARTISAN WATER MIXABLE OIL COLOUR CERULEAN BLUE HUE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS09

Signal word (CLP) :

-

Hazard statements (CLP) :

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P102 - Keep out of reach of children.

P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Child-resistant fastening :

Not applicable

Tactile warning :

Not applicable

Labelling according to: exemption for packages of a capacity of 125ml or less

Hazard pictograms (CLP) :



GHS09

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name       | Product identifier                        | %      | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|------------|---|--------|---|
| zinc oxide | (CAS-No.) 1314-13-2<br>(EC-No.) 215-222-5 | 5 – 10 | Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410                |

Full text of H-statements: see section 16

# WINSOR & NEWTON ARTISAN WATER MIXABLE OIL COLOUR CERULEAN BLUE HUE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures general            | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation   | : Allow affected person to breathe fresh air. Allow the victim to rest.   |
| First-aid measures after skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.                 |
| First-aid measures after eye contact  | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.                         |
| First-aid measures after ingestion    | : Rinse mouth out with water. In all cases of doubt, or when symptoms persist, seek medical attention.                            |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                  |  |
|------------------|--|
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |
|------------------|--|

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.                     |

#### 5.2. Special hazards arising from the substance or mixture

|             |                   |
|-------------|-------------------|
| Fire hazard | : No fire hazard. |
|-------------|-------------------|

#### 5.3. Advice for firefighters

|                                |   |
|--------------------------------|---|
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection.   |

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

|                      |                                   |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

##### 6.1.2. For emergency responders

|                      |  |
|----------------------|--|
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Ventilate area.                            |

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

|                         |  |
|-------------------------|--|
| Methods for cleaning up | : Store away from other materials. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. |
|-------------------------|--|

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# WINSOR & NEWTON ARTISAN WATER MIXABLE OIL COLOUR CERULEAN BLUE HUE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use.  
Incompatible products : Strong bases. Strong acids.  
Incompatible materials : Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

Refer to section 1.2.1.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

No additional information available

##### 8.1.2 Recommended monitoring procedures

No additional information available

##### 8.1.3 Air contaminants formed

No additional information available

##### 8.1.4 DNEL and PNEC

Additional information : No exposure limits exist for this material

##### 8.1.5 Control banding

No additional information available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

No additional information available

##### 8.2.2. Personal protection equipment

###### 8.2.2.1. Eye and face protection

###### Eye protection:

Avoid contact with eyes

###### 8.2.2.2. Skin protection

###### Skin and body protection:

Wear suitable protective clothing

###### 8.2.2.3. Respiratory protection

###### Respiratory protection:

No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

# WINSOR & NEWTON ARTISAN WATER MIXABLE OIL COLOUR CERULEAN BLUE HUE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use. Ensure there is adequate ventilation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                        |
|---|------------------------|
| Physical state                                  | : Liquid               |
| Appearance                                      | : Waxy.                |
| Colour  | : Blue.                |
| Odour   | : characteristic.      |
| Odour threshold                                 | : No data available    |
| pH  | : No data available    |
| Relative evaporation rate (butylacetate=1)      | : No data available    |
| Melting point                                   | : No data available    |
| Freezing point                                  | : No data available    |
| Boiling point                                   | : > 300 °C             |
| Flash point                                     | : > 230 °C             |
| Auto-ignition temperature                       | : No data available    |
| Decomposition temperature                       | : No data available    |
| Flammability (solid, gas)                       | : Non flammable.       |
| Vapour pressure                                 | : No data available    |
| Relative vapour density at 20 °C                | : No data available    |
| Relative density                                | : 1.2 – 2.5            |
| Solubility                                      | : Miscible with water. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available    |
| Viscosity, kinematic                            | : No data available    |
| Viscosity, dynamic                              | : No data available    |
| Explosive properties                            | : No data available    |
| Oxidising properties                            | : No data available    |
| Explosive limits                                | : No data available    |

### 9.2. Other information

VOC content : < 1

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

### 10.3. Possibility of hazardous reactions

None under normal use.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

# WINSOR & NEWTON ARTISAN WATER MIXABLE OIL COLOUR CERULEAN BLUE HUE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### zinc oxide (1314-13-2)

|                 |  |
|-----------------|--|
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
|-----------------|--|

Skin corrosion/irritation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Serious eye damage/irritation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Respiratory or skin sensitisation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Germ cell mutagenicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Carcinogenicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Reproductive toxicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
STOT-single exposure : Not classified  
Additional information : Based on available data, the classification criteria are not met  
STOT-repeated exposure : Not classified  
Additional information : Based on available data, the classification criteria are not met

#### zinc oxide (1314-13-2)

|                                     |   |
|-------------------------------------|---|
| LOAEL (dermal, rat/rabbit, 90 days) | 75 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)   |
| NOAEL (oral, rat, 90 days)          | 31.52 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |

Aspiration hazard : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

# WINSOR & NEWTON ARTISAN WATER MIXABLE OIL COLOUR CERULEAN BLUE HUE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.2. Persistence and degradability

#### WINSOR & NEWTON ARTISAN WATER MIXABLE OIL COLOUR CERULEAN BLUE HUE

|                               |   |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |
|-------------------------------|---|

### 12.3. Bioaccumulative potential

#### WINSOR & NEWTON ARTISAN WATER MIXABLE OIL COLOUR CERULEAN BLUE HUE

|                           |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information


In accordance with ADR / IMDG / IATA / ADN

| ADR  | IMDG  | IATA  | ADN   |
|--|---|---|---|
| Special provision(s) applied : 375   | Special provision(s) applied : 969  | Special provision(s) applied : A197   | Special provision(s) applied : 375  |
| These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. |   |   |   |
| <b>14.1. UN number</b>   |   |   |   |
| UN 3082  | UN 3082   | UN 3082   | UN 3082   |
| <b>14.2. UN proper shipping name</b>   |   |   |   |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.   | Environmentally hazardous substance, liquid, n.o.s.                                       | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.                                       |
| <b>Transport document description</b>  |   |   |   |
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ZINC OXIDE), 9, III, (-)   | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ZINC OXIDE), 9, III, MARINE POLLUTANT | UN 3082 Environmentally hazardous substance, liquid, n.o.s. (CONTAINS ZINC OXIDE), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ZINC OXIDE), 9, III |
| <b>14.3. Transport hazard class(es)</b>  |   |   |   |
| 9  | 9   | 9   | 9   |

# WINSOR & NEWTON ARTISAN WATER MIXABLE OIL COLOUR CERULEAN BLUE HUE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



### 14.4. Packing group

|     |     |     |     |
|-----|-----|-----|-----|
| III | III | III | III |
|-----|-----|-----|-----|

### 14.5. Environmental hazards

|  |  |  |  |
|--|--|--|--|
| Dangerous for the environment :<br>Yes | Dangerous for the environment :<br>Yes<br>Marine pollutant : Yes | Dangerous for the environment :<br>Yes | Dangerous for the environment :<br>Yes |
|--|--|--|--|

No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Special provisions (ADR) : 274, 335, 375, 601  
Limited quantities (ADR) : 5I  
Orange plates :



EAC code : •3Z

#### Transport by sea

Special provisions (IMDG) : 274, 335, 969  
Limited quantities (IMDG) : 5 L

#### Air transport

PCA Limited quantities (IATA) : Y964  
Special provisions (IATA) : A97, A158, A197

#### Inland waterway transport

Special provisions (ADN) : 274, 335, 375, 601  
Limited quantities (ADN) : 5 L

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : < 1

#### 15.1.2. National regulations

No additional information available



# WINSOR & NEWTON ARTISAN WATER MIXABLE OIL COLOUR CERULEAN BLUE HUE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Please read the label before use

### EMERGENCY CONTACTS

Jasco Pty Ltd : 02 9807 1555  
Police and Fire Brigade : 000  
Poisons information centre : 13 11 26  
Safety Data Sheet applicable regions : Australia

### EMERGENCY CONTACTS

Jasco Pty Ltd : 02 9807 1555  
Poisons information centre : 0800 764 766 (0800 POISON)  
Safety Data Sheet applicable regions : New Zealand

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.  
Other information : None.

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| Aquatic Acute 1                     | Hazardous to the aquatic environment — Acute Hazard, Category 1   |
| Aquatic Chronic 1                   | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| H400                                | Very toxic to aquatic life.                                       |
| H410                                | Very toxic to aquatic life with long lasting effects.             |
| H411                                | Toxic to aquatic life with long lasting effects.                  |

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                   |      |                    |
|-------------------|------|--------------------|
| Aquatic Chronic 2 | H411 | Calculation method |
|-------------------|------|--------------------|

Safety Data Sheet applicable for regions : GB - United Kingdom

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.